

View Online at <https://aerobasegroup.com/nsn/5945-00-922-8056>

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

1.922 inches

**Body Length:**

2.260 inches

**Body Width:**

1.510 inches

**Body Height:**

3.017 inches

**Unthreaded Mounting Hole Diameter:**

0.201 inches

**Connector Manufacturer Part Number:**

Pt02a-14-5p

**Maximum Operating Temp:**

165.0 degrees fahrenheit

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Electrical Resistance:**

2.17 ohms

**Duty Type:**

Intermittent

**Voltage Rating In Volts:**

Between 25.0 dc and 31.0 dc

**Mounting Facility Type And Quantity:**

2 unthreaded hole

**Features Provided:**

W/spring

**Cubic Measure:**

12.6307 cubic inches

**Actuator Stroke Type:**

Pull

**Linear Force Delivered:**

4.00 pounds

**Power Takeoff Connection Type:**

Internal plunger

**Energizing Stroke Maximum Length:**

0.250 inches

**Mounting Facility Pattern:**

Two position in-line

**Special Features:**

Min. Ambient temp.= -65.0 deg. F.; insulation resistance=500 megohms min. At 500 vdc coil ground; weight=1.0 lb. Max.; internal spring data: spring rate=32.0 lbs. Per in.; spring force at 0.250 in. Stroke=8.0 lbs. Min.; solid outside dia.=0.181 in. Max.; free inside dia.=0.109 in. Min.; solid height=1.000 in. Max.; wire dia.=0.026 in.; free height=1.750 in.; mounting holes cskto 0.268 in. Dia. By 90.0 deg.

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A134a0