NSN 5945-00-922-8056

Electrical Solenoid - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-922-8056
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.922 inches
Body Length:
2.260 inches
Body Width:
1.510 inches
Body Height:
3.017 inches
Unthreaded Mounting Hole Diameter:
0.201 inches
Connector Manufacturer Part Number:
Pt02a-14-5p
Maximum Operating Temp:
165.0 degrees fahrenheit
Inclosure Type:
Fully enclosed
Magnetic Coil Quantity:
1
Electrical Resistance:
2.17 ohms
Duty Type:
Intermittent
Voltage Rating In Volts:
Between 25.0 dc and 31.0 dc
Mounting Facility Type And Quantity:
2 unthreaded hole
Features Provided:
W/spring
Cubic Measure:
12.6307 cubic inches
Actuator Stroke Type:
Pull
Linear Force Delivered:
4.00 pounds
Power Takeoff Connection Type:
Internal plunger
Energizing Stroke Maximum Length:
0.250 inches
Mounting Facility Pattern:
Two position in-line
Special Features:

Min. Ambient temp.=-65.0 deg. F.; insulation resistance=500 megohms min.At 500 vdc coil ground; weight=1.0 lb.Max.; internal spring data: spring rate=32.0 lbs. Per in.; spring force at 0.250 in. Stroke=8.0 lbs. Min.; solid outside dia.=0.181 in. Max.; free inside dia.=0.109 in. Min.; solid height=1.000 in. Max.; wire dia.=0.026 in.; free height=1.750 in.; mounting holes cskto 0.268 in. Dia. By 90.0 deg.

NSN 5945-00-922-8056

Electrical Solenoid - Page 2 of 2



_					
c	hο	JIF.		.ife:	
J	116		_	.II C.	

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A134a0