# NSN 5945-00-927-1759

Resonant Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-927-1759

# **Overall Length:**

2.220 inches

# **Overall Height:**

0.550 inches

# Overall Width:

0.760 inches

# **Environmental Protection:**

Hermetic

# End Application:

Zlos angeles class ssn (688); sturgeon class ssn (637); nimitz class cvn; spruance class dd (963); forrestal class cv; arleigh burke class ddg; ticonderoga class cg (47); virginia class cgn (41); oliver perry class ffg; kidd class ddg

### Winding Quantity:

1

### Coil Quantity:

1

## **Resonant Reed Quantity:**

1

## Winding Dc Resistance Rating:

2.5 kilohms

Duty Type:

Continuous

# Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

# **Resonant Reed Frequency In Hertz:**

400.0 single reed

## Nonpile-up Main Contact Arrangement:

1 pole, single throw, normally open, momentary action

## Criticality Code Justification:

Feat

# Operating Voltage Rating And Type At Specificationified Temp:

18.0 volts dc 25 degrees celsius single winding

# Main Contact Maximum Voltage Rating In Volts:

500.0 dc

### **Special Features:**

Weapon system essential

## **Terminal Type And Quantity:**

4 pin all functions

Shelf Life:

N/a

### Unit Of Measure:

---

#### Demilitarization:

No

# NSN 5945-00-927-1759

Resonant Reed Relay - Page 2 of 2

**Fiig:** A03300

