

View Online at <https://aerobasegroup.com/nsn/5945-00-928-4551>

Terminal Quantity:

9

Terminal Type:

Solder lug type

Mounting Provision:

Holes4

Case Material:

Metal

Operating Temperature Range:

-55.0/+110.0 degrees celsius

Mounting Configuration:

On 1.00 in. By 0.75 in. Mtg centers

Coil Type:

Isolated

Input Voltage Rating:

6.3 ac pounds per hour wet

Unit Type:

Electromechanical

Output Frequency Rating:

Between 380.0 hertz and 420.0 hertz

Mounting Facility Size:

0.130 in. Dia

Mounting Method:

Flange

Hermetically Sealed Feature:

Not provided

Drive Voltage Relationship To Input Voltage:

Equal

Drive Current Relationship To Input Current:

Equal

Drive Frequency Rating:

Between 380.0 hertz and 420.0 hertz

Output/input Voltage Relationship:

Equal

Reed Type:

Single

Contact Operation Sequence:

Breaks before makes

Contact Voltage Rating:

10.0 ac pounds per hour wet

Contact Current Rating:

1.0 milliamperes

Phase Angle In Deg:

60.0

Dwell Time Rating In Deg:

169.0

Plug In Mounting Feature:

Not provided

Connection Location:

Top

Fsc Application Data:

Computer, flight path data, airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T320-k