NSN 5945-00-929-7604



Electromagnetic Relay - Page 1 of 2	
View Online at https://aerobasegroup.com/nsn/5945-00-929-7604	
Thread Class:	
2a single mounting facility	
Thread Direction:	
Right-hand single mounting facility	
Thread Length:	
0.312 inches single mounting facility	
Overall Length:	
1.156 inches	
Overall Height:	
1.593 inches	
Overall Width:	
0.910 inches	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	
Fragility Factor:	
Moderately rugged	
Contact Material:	
Silver	
Contact Surface Treatment:	
Gold flash	
Winding Quantity:	
1	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
40.0 ohms single winding	
Duty Type:	
Continuous	
Mounting Facility Type And Quantity:	
1 threaded stud single mounting facility	
Storage Type:	
General purpose warehouse	

Thready Qty Per Inch (tpi):

48 single mounting facility

Thread Size:

0.099 inches single mounting facility

Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

Time Delay:

0.013 seconds fixed operate time

NSN 5945-00-929-7604

Electromagnetic Relay - Page 2 of 2



Operating Voltage Rating And Type At Specificationified Temp:

6.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes ac resistive load and 3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 30.0 dc

Energizing Element Power Rating:

900.0 milliwatts

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

14 tab, solder lug all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A03300