# NSN 5945-00-929-9538

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-929-9538

## Thread Class:

2a single mounting facility

## **Overall Length:**

1.010 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

0.700 inches single mounting facility

## **Overall Height:**

0.810 inches

## **Overall Width:**

0.610 inches

## **Environmental Protection:**

Hermetic

# Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

500.0 ohms single winding

Duty Type:

Continuous

### Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### Thready Qty Per Inch (tpi):

56 single mounting facility

#### Thread Size:

0.086 inches single mounting facility

#### Mounting Facility Pattern:

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

4 pole, double throw, one position momentary

#### Time Delay:

0.015 seconds fixed operate time

#### Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 26.5 dc

### Thread Series Designator:

Unc single mounting facility

# Terminal Type And Quantity:

14 pin all functions

# NSN 5945-00-929-9538

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A03300

