# NSN 5945-00-931-7632

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-931-7632

## **Overall Length:**

2.531 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility

## **Overall Height:**

0.765 inches

## **Overall Width:**

2.080 inches

#### **Case Material:**

Metal

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.232 inches single mounting facility

#### **Fragility Factor:**

## Moderately rugged

Winding Quantity:

#### 2

**Coil Quantity:** 

2

Winding Dc Resistance Rating:

310.0 ohms all windings

**Duty Type:** 

Continuous

## Mounting Facility Type And Quantity:

2 unthreaded hole single mounting facility

#### Storage Type:

General purpose warehouse

#### **Features Provided:**

Polarized and latching contacts

#### Cubic Measure:

4.027 cubic inches

#### **Mounting Facility Pattern:**

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## **Operating Current Rating And Type:**

110.0 milliamperes dc all windings

#### Time Delay:

0.02 seconds fixed operate time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius all windings

## NSN 5945-00-931-7632

Electromagnetic Relay - Page 2 of 2



## Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac motor load and 1.5 amperes dc motor load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Terminal Type And Quantity:

10 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300