NSN 5945-00-932-2713

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-932-2713

Thread Class:
2a single mounting facility
Overall Length:
1.000 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
0.625 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.625 inches single mounting facility
Overall Height:
2.219 inches
Overall Width:
1.000 inches
Environmental Protection:
Hermetic
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
12.0 kilohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Thread Size:
0.112 inches single mounting facility
Mounting Facility Pattern:
Diagonal single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
1.45 milliamperes dc single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
2.0 amperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
120 0 ac and 28 0 dc

Silver

Contacts silver

Precious Material:

Thread Series Designator:

Precious Material And Location:

Unc single mounting facility

NSN 5945-00-932-2713

Electromagnetic Relay - Page 2 of 2



Terminal '	Type And	Quantity:
ı errillinar	I VDE AIIU	Qualitity.

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300