

View Online at <https://aerobasegroup.com/nsn/5945-00-938-1296>

Thread Class:

2a single mounting facility

Overall Length:

1.470 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.805 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.225 inches single mounting facility

Overall Height:

0.810 inches

Overall Width:

0.800 inches

Environmental Protection:

Hermetic

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

1.0 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

4.0 milliamperes dc all windings

Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac resistive load and 750.0 milliamperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Specification Data:

81349-mil-r-5757/13 government specification

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300