NSN 5945-00-941-2776



Electrical Solenoid - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-00-941-2776 **Body Style:** Open frame **Center To Center Distance Between Mounting Facilities Parallel To Length:** 2.938 inches **Center To Center Distance Between Mounting Facilities Parallel To Width:** 2.938 inches **Body Length:** 3.210 inches **Body Width:** 2.469 inches **Body Height:** 3.578 inches **Environmental Protection:** Humidity proof and oil tight and shock resistant **Unthreaded Mounting Hole Diameter:** 0.201 inches Frequency In Hertz: Between 50.0 and 60.0 **Inclosure Type:** Partially enclosed, shell **Magnetic Coil Quantity:** 1 **Duty Type:** Continuous **Terminal Location:** Top edge **Voltage Rating In Volts: Mounting Facility Type And Quantity:** 4 unthreaded hole **Current Rating:** 12.7 amperes

Actuator Stroke Type:

Push

Linear Force Delivered:

16.40 pounds

Energizing Stroke Maximum Length:

0.500 inches

Plate Coupling Facility And Quantity:

1 unthreaded hole

Plate Coupling Facility Diameter:

0.378 inches

NSN 5945-00-941-2776 Electrical Solenoid - Page 2 of 2



| Mounting Facility Pattern: |
|-----------------------------|
| Four position rectangular |
| Terminal Type And Quantity: |
| 2 screw |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |

Fiig: A134a0