

View Online at <https://aerobasegroup.com/nsn/5945-00-943-0320>

Thread Class:

2a single mounting facility

Overall Length:

1.095 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.498 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.230 inches single mounting facility

Overall Height:

0.800 inches

Overall Width:

0.855 inches

Environmental Protection:

Watertight

Frequency In Hertz:

60.0 or 400.0

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

5.0 kilohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Diagonal single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

0.01 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 30.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300