NSN 5945-00-945-3477



Electromagnetic Relay - Page 1 of 2	A
View Online at https://aerobasegroup.com/nsn/5945-00-945-3477	
Overall Length:	
1.375 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
1.062 inches single mounting facility	
Overall Height:	
1.020 inches	
Overall Width:	
0.400 inches	
Mounting Slot Width:	
0.125 inches single mounting facility	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	
Fragility Factor:	
Moderately rugged	
Contact Surface Treatment:	
Gold	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
600.0 ohms single winding	
Duty Type:	
Continuous	
Arc Quenching Method:	
Air	

Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

0.561 cubic inches

Mounting Facility Pattern:

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

21.0 milliamperes dc single winding

NSN 5945-00-945-3477

Electromagnetic Relay - Page 2 of 2



	Ti	ime	Del	lay:
--	----	-----	-----	------

0.005 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

26.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300