# NSN 5945-00-948-5922

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-948-5922

# **Overall Length:**

1.710 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.406 inches single mounting facility

# **Overall Height:**

0.510 inches

### **Overall Width:**

1.500 inches

#### **Mounting Slot Width:**

0.025 inches single mounting facility

## **Environmental Protection:**

Dustproof

## Winding Quantity:

1

**Coil Quantity:** 

2

## Winding Dc Resistance Rating:

600.0 ohms single winding

Duty Type:

Continuous

# Mounting Facility Type And Quantity:

2 slotted hole single mounting facility

### **Features Provided:**

Polarized and latching contacts

## Mounting Facility Pattern:

In-line single mounting facility

### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

### **Operating Current Rating And Type:**

20.0 milliamperes dc single winding

### Time Delay:

0.012 seconds fixed operate time

### **Operating Voltage Rating And Type At Specificationified Temp:**

26.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 10.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

110.0 ac and 28.0 dc

## Terminal Type And Quantity:

10 pin all functions

#### Shelf Life:

N/a

# NSN 5945-00-948-5922

Electromagnetic Relay - Page 2 of 2



---

Demilitarization:

No

Fiig:

A03300

