NSN 5945-00-949-1132

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-949-1132

Thread Class: 2a single mounting facility **Overall Length:** 1.625 inches Center To Center Distance Between Mounting Facilities Parallel To Width: 0.938 inches single mounting facility **Overall Height:** 3.063 inches **Overall Width:** 1.438 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.3 ohms first winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 3 threaded stud single mounting facility **Pile-up Main Contact Form Arrangement:** 1a1b **Features Provided:** Latching contacts Thready Qty Per Inch (tpi): 32 single mounting facility **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** Triangle single mounting facility **Operating Current Rating And Type:** 225.0 milliamperes dc first winding Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle: 1.188 inches single mounting facility Operating Voltage Rating And Type At Specificationified Temp: 28.0 volts dc 25 degrees celsius second winding Main Contact Load Current Rating At Maximum Rated Voltage: 4.0 amperes ac resistive load

115.0 ac

Main Contact Maximum Voltage Rating In Volts:

NSN 5945-00-949-1132

Electromagnetic Relay - Page 2 of 2



| | T | hr | ead | Series | Design | nator |
|--|---|----|-----|---------------|--------|-------|
|--|---|----|-----|---------------|--------|-------|

Unc single mounting facility

Terminal Type And Quantity:

8 wire hook all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300