NSN 5945-00-951-0377

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-951-0377

Thread Class:

2a single mounting facility

Overall Length:

Between 0.860 inches and 0.890 inches

Overall Height:

Between 1.110 inches and 1.140 inches

Overall Width:

Between 0.860 inches and 0.890 inches

Environmental Protection:

Hermetic

Winding Quantity:

•••

Coil Quantity:

1

Winding Dc Resistance Rating:

500.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

3 threaded stud single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Triangle single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

10.0 milliamperes dc single winding

Time Delay:

0.01 seconds fixed operate and release time

Center To Center Distance Between Mounting Facilities Parallel To The Altitude Of An Isosceles Triangle:

0.620 inches single mounting facility

Operating Voltage Rating And Type At Specificationified Temp:

7.1 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

NSN 5945-00-951-0377

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300