# NSN 5945-00-951-5734

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-951-5734

# Thread Class:

2a single mounting facility

## **Overall Length:**

1.000 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

0.800 inches single mounting facility

# Center To Center Distance Between Mounting Facilities Parallel To Width:

0.285 inches single mounting facility

## **Overall Height:**

0.790 inches

## **Overall Width:**

0.790 inches

**Environmental Protection:** 

#### Hermetic

Winding Quantity:

# Coil Quantity:

1

1

#### Winding Dc Resistance Rating:

1.628 kilohms single winding

Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### Thread Size:

0.112 inches single mounting facility

#### Mounting Facility Pattern:

Diagonal single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

10.0 milliamperes dc single winding

#### Time Delay:

0.005 seconds fixed operate time

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Thread Series Designator:**

Unc single mounting facility

#### Terminal Type And Quantity:

8 pin all functions

# NSN 5945-00-951-5734

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

