NSN 5945-00-954-7907

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-954-7907

Overall Length:
1.350 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.090 inches single mounting facility and 1.110 inches single mounting facility
Overall Height:
1.040 inches
Overall Width:
0.400 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.088 inches single mounting facility and 0.098 inches single mounting facility
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
500.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Storage Type:
General purpose warehouse
Features Provided:
Polarized
Cubic Measure:
0.561 cubic inches
Mounting Facility Pattern:
In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

NSN 5945-00-954-7907

Electromagnetic Relay - Page 2 of 2



Operating Current Rating And Type:

10.0 milliamperes dc single winding

Operating Voltage Rating And Type At Specificationified Temp:

26.5 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Precious Material And Location:

Contacts silver and contact surfaces gold

Precious Material:

Silver and gold

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300