

View Online at <https://aerobasegroup.com/nsn/5945-00-956-7591>

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

1.000 inches single mounting facility

**Overall Height:**

0.400 inches

**Overall Width:**

1.119 inches

**Unthreaded Mounting Hole Diameter:**

0.096 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Height:**

0.187 inches single mounting facility

**Winding Quantity:**

1

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

1.15 kilohms all windings

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Nonpile-up Main Contact Arrangement:**

2 pole, double throw, both positions maintained

**Operating Voltage Rating And Type At Specificationified Temp:**

26.5 volts dc 25 degrees celsius all windings

**Main Contact Load Current Rating At Maximum Rated Voltage:**

1.0 amperes ac resistive load and 3.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

**Special Test Features:**

Navord od41152

**Terminal Type And Quantity:**

10 pin all functions

**Reference Number Differentiating Characteristics:**

As differentiated by special test features

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A03300