## NSN 5945-00-963-1571

Electromagnetic Relay - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5945-00-963-1571
Overall Length:
1.740 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.437 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.359 inches single mounting facility
Overall Height:
1.380 inches
Overall Width:
1.670 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.144 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
4 unthreaded hole single mounting facility
Mounting Facility Pattern:
Rectangular single mounting facility
Nonpile-up Main Contact Arrangement:
4 pole, double throw, one position momentary
Operating Current Rating And Type:
200.0 milliamperes dc single winding
Time Delay:
0.01 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
28.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
10.0 amperes ac resistive load and 10.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Terminal Type And Quantity:
14 pin all functions
Shelf Life:
N/a
Unit Of Measure:

## NSN 5945-00-963-1571

Electromagnetic Relay - Page 2 of 2



_		 				
וו	em	1+2	riz	211	n	٠-

No

Fiig:

A03300

Mil-std (military Standard):

Mil-prf-6106 spec.