

View Online at <https://aerobasegroup.com/nsn/5945-00-968-7406>

**Thread Class:**

2a mounting facility stud

**Body Style:**

Double ended actuator

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

0.656 inches

**Body Diameter:**

1.016 inches

**Body Height:**

0.565 inches

**Case Material:**

Steel

**Case Surface Treatment:**

Cadmium

**Environmental Protection:**

Fungus proof

**Maximum Operating Temp:**

145.0 degrees fahrenheit

**Actuator Diameter:**

0.156 inches

**Inclosure Type:**

Fully enclosed

**Magnetic Coil Quantity:**

1

**Electrical Resistance:**

112.00 ohms

**Duty Type:**

Continuous

**Terminal Location:**

Circumference

**Electric Power Rating:**

5.0 watts

**Voltage Rating In Volts:**

28.0 dc

**Mounting Facility Type And Quantity:**

2 threaded stud

**Current Rating:**

250.0 milliamperes

**Actuator Stroke Type:**

Pull

**Linear Force Delivered:**

1.23 pounds

**Power Takeoff Connection Type:**

Plain

**Energizing Stroke Maximum Length:**

0.030 inches

**Thread Size:**

0.099 inches mounting facility stud

**Mounting Facility Pattern:**

Two position in-line

**Surface Treatment Specification:**

Qq-p-416, type 2, class 3 federal specification single treatment response

**Thread Series Designator:**

Unc mounting facility stud

**Terminal Type And Quantity:**

2 wire lead

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A134a0