## NSN 5945-00-971-7094

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-971-7094

## Overall Length:

2.750 inches

#### **Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.000 inches single mounting facility

**Overall Height:** 

1.750 inches

**Overall Width:** 

2.500 inches

### **Unthreaded Mounting Hole Diameter:**

0.169 inches single mounting facility

**End Application:** 

Eg, 18.75 kva warner swasey

Winding Quantity:

1

#### **Coil Quantity:**

1

## Winding Dc Resistance Rating:

300.0 ohms single winding

**Duty Type:** 

Continuous

## **Arc Quenching Method:**

Air

#### **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

## **Mounting Facility Pattern:**

In-line single mounting facility

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### **Operating Current Rating And Type:**

107.0 milliamperes dc single winding

## Operating Voltage Rating And Type At Specificationified Temp:

32.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

500.0 milliamperes dc resistive load

### **Main Contact Maximum Voltage Rating In Volts:**

125.0 dc

#### **Special Features:**

32v, relay dpdt; reference data: 4 (2.4, 5.6, 8.23) bk 6, operators manual fa-1078, warner swasey & parts list, automatic gasoline engine driven electric generator set, group 30, pg 1 0f 2

#### **Terminal Type And Quantity:**

2 threaded stud energizing element

#### Shelf Life:

N/a

# NSN 5945-00-971-7094

Electromagnetic Relay - Page 2 of 2



|   | 1  | :. | ~  | 84  |    |    |      |   |
|---|----|----|----|-----|----|----|------|---|
| ι | JN | IT | UΤ | IVI | ea | Sι | ire: | • |

--

Demilitarization:

No

Fiig:

A03300