

View Online at <https://aerobasegroup.com/nsn/5945-00-985-7719>

Terminal Quantity:

7

Terminal Type:

Tube plug

Mounting Provision:

Studs

Overall Length:

2.250 inches

Overall Diameter:

0.750 inches

Operating Temperature Range:

-55.0/+85.0 degrees celsius

End Application:

6625-00-753-2114 voltmeter

Mounting Facility Quantity:

1

Mounting Configuration:

0.125 in. Diameter 40 thd per in. 0.625 in. Lg thd stud

Coil Type:

Isolated

Contact Arrangement:

Single pole, double throw

Input Voltage Rating:

10.0 dc pounds per hour wet

Output Voltage Rating:

10.0 ac volts

Unit Type:

Electromechanical

Output Frequency Rating:

Between 1.0 hertz and 180.0 hertz

Output Current Rating:

1.0 milliamperes

Mounting Facility Size:

0.112 in. Diameter by 0.625 in. Lg

Mounting Method:

Threaded stud mtd

Hermetically Sealed Feature:

Provided

Input Current Rating:

1.0 milliamperes

Drive Voltage Relationship To Input Voltage:

Unequal

Drive Voltage Rating:

6.3 ac pounds per hour wet

Drive Current Relationship To Input Current:

Unequal

Err Default:

Err default

Drive Frequency Rating:

Between 1.0 hertz and 180.0 hertz

Output/input Voltage Relationship:

Unequal

Reed Type:

Single

Contact Operation Sequence:

Breaks before makes

Contact Voltage Rating:

10.0 dc pounds per hour with retaining chain

Contact Current Rating:

1.0 milliamperes

Phase Angle In Deg:

15.0 and 20.0

Dwell Time Rating In Deg:

Between 43.0 and 47.0

Plug In Mounting Feature:

Not provided

Base Connection Wiring Style:

7 pin standard tube

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

T320-k