# NSN 5945-00-985-8028

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-985-8028 **Thread Class:** 2a single mounting facility **Overall Length:** 1.030 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.937 inches single mounting facility Center To Center Distance Between Mounting Facilities Parallel To Width: 0.500 inches single mounting facility **Overall Height:** 0.640 inches **Overall Width:** 1.270 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 4.0 kilohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 2 threaded stud single mounting facility **Features Provided:** Polarized **Thread Size:** 0.138 inches single mounting facility **Mounting Facility Pattern:** 

Diagonal single mounting facility

#### **Nonpile-up Main Contact Arrangement:**

4 pole, double throw, one position momentary

## **Operating Current Rating And Type:**

4.5 milliamperes dc single winding

### Time Delay:

0.005 seconds fixed release time

#### Operating Voltage Rating And Type At Specificationified Temp:

32.0 volts dc 25 degrees celsius single winding

#### Main Contact Load Current Rating At Maximum Rated Voltage:

2.0 amperes ac resistive load and 3.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

# NSN 5945-00-985-8028

Electromagnetic Relay - Page 2 of 2



	T	hr	ead	<b>Series</b>	Design	nator
--	---	----	-----	---------------	--------	-------

Unc single mounting facility

**Terminal Type And Quantity:** 

14 pin all functions

Shelf Life:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300