NSN 5945-00-988-2729

Electromagnetic Relay - Page 1 of 2



	uroup
View Online at https://aerobasegroup.com/nsn/5945-00-988-2729	
Overall Length:	
2.187 inches	
Center To Center Distance Between Mounting Facilities Parallel To Length:	
1.844 inches single mounting facility	
Overall Height:	
2.156 inches	
Overall Width:	
0.687 inches	
Case Material:	
Metal	
Environmental Protection:	
Hermetic	
Unthreaded Mounting Hole Diameter:	
0.147 inches single mounting facility	
Fragility Factor:	
Moderately rugged	
Winding Quantity:	
1	
Purpose For Which Designed:	
General	
Coil Quantity:	
1	
Duty Type:	
Continuous	
Arc Quenching Method:	
Air	
Mounting Facility Type And Quantity:	
2 unthreaded hole single mounting facility	
Storage Type:	
General purpose warehouse	
Cubic Measure:	
3.239 cubic inches	
Mounting Facility Pattern:	
In-line single mounting facility	
Nonpile-up Main Contact Arrangement:	

2 pole, double throw, one position momentary

Time Delay:

0.02 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.5 amperes ac motor load and 1.5 amperes dc motor load

NSN 5945-00-988-2729

Electromagnetic Relay - Page 2 of 2



Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Test Data Document:

81349-mil-r-6106 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

Terminal	Type An	d Quantity
----------	---------	------------

8 pin all functions

Specification Data:

96906-ms25321 government standard

Shelf Life:

N/a

Unit Of Measure:

__

Demilitarization:

No

Fiig:

A03300

Mil-std (military Standard):

Mil-r-6106 spec.