## NSN 5945-00-990-6413

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-990-6413

**Thread Class:** 

2a single mounting facility

**Overall Length:** 

1.000 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:** 

0.968 inches single mounting facility

**Overall Height:** 

1.960 inches

**Overall Width:** 

1.000 inches

**Environmental Protection:** 

Hermetic

Winding Quantity:

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

2.5 kilohms single winding

**Duty Type:** 

Continuous

**Mounting Facility Type And Quantity:** 

2 threaded stud single mounting facility

**Thread Size:** 

0.112 inches single mounting facility

**Mounting Facility Pattern:** 

In-line single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

**Operating Current Rating And Type:** 

4.0 milliamperes dc single winding

Time Delay:

0.008 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

200.0 milliamperes ac resistive load

Main Contact Maximum Voltage Rating In Volts:

28.0 ac

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 pin all functions

## NSN 5945-00-990-6413

Electromagnetic Relay - Page 2 of 2



-				
٠.	hΔ	Iŧ.	ife:	

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300