NSN 5945-00-995-0084

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-995-0084	
Overall Length:	
0.890 inches	
Center To Center Distance Between Mounting Facilities Parallel	To Length:
1.062 inches single mounting facility	
Overall Height:	
0.350 inches	
Overall Width:	
1.370 inches	
Mounting Slot Width:	
0.136 inches single mounting facility	
Environmental Protection:	
Hermetic	
Winding Quantity:	
2	
Coil Quantity:	
1	
Winding Dc Resistance Rating:	
630.0 ohms all windings	
Duty Type:	
Continuous	
Mounting Facility Type And Quantity:	
2 slotted hole single mounting facility	
Features Provided:	
Polarized and latching contacts	
Mounting Facility Pattern:	
In-line single mounting facility	
Nonpile-up Main Contact Arrangement:	
2 pole, double throw, one position momentary	
Operating Current Rating And Type:	
270.0 milliamperes dc all windings	
Operating Voltage Rating And Type At Specificationified Temp:	
28.0 volts dc 25 degrees celsius all windings	
Main Contact Load Current Rating At Maximum Rated Voltage:	
1.0 amperes ac resistive load and 2.0 amperes dc resistive load	
Main Contact Maximum Voltage Rating In Volts:	
115.0 ac and 28.0 dc	
Terminal Type And Quantity:	
10 pin all functions	
Fsc Application Data (non-core):	
Except engine	
Shalf Life:	

N/a

NSN 5945-00-995-0084

Electromagnetic Relay - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A03300