## NSN 5945-00-995-4761

Reed Relay - Page 1 of 2



view Online at https://aerobasegroup.com/hsh/5945-00-995-4761
Thread Class:
2a single mounting facility
Overall Length:
2.500 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.500 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
0.800 inches single mounting facility
Overall Height:
1.468 inches
Overall Width:
1.300 inches
Case Material:
Metal
Environmental Protection:
Shock resistant and vibration resistant
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded stud single mounting facility
Features Provided:
Magnetic shield and polarized
Thread Size:
0.138 inches single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Voltage Rating And Type At Specificationified Temp:
24.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
0.1 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
1000.0 dc
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
8 wire hook all functions
Shelf Life:

N/a

## NSN 5945-00-995-4761

Reed Relay - Page 2 of 2



	Of			

--

Demilitarization:

No

Fiig:

A03300