# NSN 5945-00-995-4761

Reed Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-00-995-4761

## Thread Class:

2a single mounting facility

## **Overall Length:**

2.500 inches

## Center To Center Distance Between Mounting Facilities Parallel To Length:

1.500 inches single mounting facility

## Center To Center Distance Between Mounting Facilities Parallel To Width:

0.800 inches single mounting facility

### **Overall Height:**

1.468 inches

**Overall Width:** 

1.300 inches

## Case Material:

Metal

#### **Environmental Protection:**

Shock resistant and vibration resistant

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Duty Type:

Continuous

#### Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

#### **Features Provided:**

Magnetic shield and polarized

#### Thread Size:

0.138 inches single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

#### Operating Voltage Rating And Type At Specificationified Temp:

24.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

0.1 milliamperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

1000.0 dc

## Thread Series Designator:

Unc single mounting facility

## Terminal Type And Quantity:

8 wire hook all functions

## Shelf Life:

N/a

# NSN 5945-00-995-4761

Reed Relay - Page 2 of 2

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

