

View Online at <https://aerobasegroup.com/nsn/5945-00-998-4872>

**Overall Length:**

3.734 inches

**Center To Center Distance Between Mounting Facilities Parallel To Length:**

3.250 inches single mounting facility

**Center To Center Distance Between Mounting Facilities Parallel To Width:**

2.687 inches single mounting facility

**Overall Height:**

2.532 inches

**Overall Width:**

3.305 inches

**Environmental Protection:**

Hermetic

**Unthreaded Mounting Hole Diameter:**

0.218 inches single mounting facility

**Frequency In Hertz:**

60.0 or 400.0

**Winding Quantity:**

1

**Coil Quantity:**

1

**Duty Type:**

Continuous

**Mounting Facility Type And Quantity:**

4 unthreaded hole single mounting facility

**Mounting Facility Pattern:**

Rectangular single mounting facility

**Operating Current Rating And Type:**

200.0 milliamperes ac single winding

**Time Delay:**

0.05 seconds fixed release time

**Auxiliary Contact Maximum Voltage Rating In Volts:**

200.0 ac and 28.0 dc

**Operating Voltage Rating And Type At Specificationified Temp:**

115.0 volts ac 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

25.0 amperes ac resistive load

**Main Contact Maximum Voltage Rating In Volts:**

200.0 ac

**Auxiliary Contact Load Current Rating At Maximum Rated Voltage:**

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

**Special Features:**

Non-pile-up main contact arrangement: 3 pole, single throw, normally open, double make; nonpile-up auxiliary contact arrangement: 1 pole, double throw, double break, double make

**Terminal Type And Quantity:**

12 screw all functions

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300