

View Online at <https://aerobasegroup.com/nsn/5945-01-013-8577>

**Thread Class:**

2a first mounting facility

**Thread Direction:**

Right-hand first mounting facility

**Thread Length:**

0.171 inches first mounting facility

**Overall Length:**

0.938 inches

**Overall Height:**

1.187 inches

**Overall Width:**

0.748 inches

**Environmental Protection:**

Dustproof

**Fragility Factor:**

Moderately rugged

**Contact Material:**

Silver

**Winding Quantity:**

1

**Purpose For Which Designed:**

General

**Coil Quantity:**

1

**Winding Dc Resistance Rating:**

52.0 ohms single winding

**Duty Type:**

Continuous

**Arc Quenching Method:**

Air

**Mounting Facility Type And Quantity:**

2 threaded stud first mounting facility

**Storage Type:**

General purpose warehouse

**Cubic Measure:**

0.832 cubic inches

**Thready Qty Per Inch (tpi):**

48 first mounting facility

**Thread Size:**

0.099 inches first mounting facility

**Mounting Facility Pattern:**

In-line first mounting facility

**Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

**Operating Voltage Rating And Type At Specificationified Temp:**

6.0 volts dc 25 degrees celsius single winding

**Main Contact Load Current Rating At Maximum Rated Voltage:**

3.0 amperes dc resistive load

**Main Contact Maximum Voltage Rating In Volts:**

115.0 dc

**Precious Material And Location:**

Contacts silver

**Precious Material:**

Silver

**Thread Series Designator:**

Unc first mounting facility

**Terminal Type And Quantity:**

10 tab, solder lug all functions

**Specification Data:**

12344-400954 manufacturers source control

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A03300