

View Online at <https://aerobasegroup.com/nsn/5945-01-013-8577>

Thread Class:

2a first mounting facility

Thread Direction:

Right-hand first mounting facility

Thread Length:

0.171 inches first mounting facility

Overall Length:

0.938 inches

Overall Height:

1.187 inches

Overall Width:

0.748 inches

Environmental Protection:

Dustproof

Fragility Factor:

Moderately rugged

Contact Material:

Silver

Winding Quantity:

1

Purpose For Which Designed:

General

Coil Quantity:

1

Winding Dc Resistance Rating:

52.0 ohms single winding

Duty Type:

Continuous

Arc Quenching Method:

Air

Mounting Facility Type And Quantity:

2 threaded stud first mounting facility

Storage Type:

General purpose warehouse

Cubic Measure:

0.832 cubic inches

Thready Qty Per Inch (tpi):

48 first mounting facility

Thread Size:

0.099 inches first mounting facility

Mounting Facility Pattern:

In-line first mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Voltage Rating And Type At Specificationified Temp:

6.0 volts dc 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

3.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 dc

Precious Material And Location:

Contacts silver

Precious Material:

Silver

Thread Series Designator:

Unc first mounting facility

Terminal Type And Quantity:

10 tab, solder lug all functions

Specification Data:

12344-400954 manufacturers source control

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300