NSN 5945-01-014-3809

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-014-3809

Thread Class:

2a single mounting facility

Overall Length:

1.250 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.885 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.635 inches single mounting facility

Overall Height:

2.453 inches

Overall Width:

1.000 inches

Frequency In Hertz:

Between 60.0 and 400.0

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Thread Size:

0.112 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

100.0 milliamperes ac single winding

Time Delay:

0.05 seconds fixed operate and release time

Operating Voltage Rating And Type At Specificationified Temp:

100.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

 $300.0 \ \mbox{milliamperes}$ ac resistive load and $2.0 \ \mbox{amperes}$ dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 30.0 dc

Thread Series Designator:

Unc single mounting facility

Terminal Type And Quantity:

8 pin all functions

NSN 5945-01-014-3809

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300