NSN 5945-01-015-2208



Electromagnetic Relay - Page 1 of 2 View Online at https://aerobasegroup.com/nsn/5945-01-015-2208 **Overall Length:** 5.760 inches Center To Center Distance Between Mounting Facilities Parallel To Length: 0.750 inches single mounting facility **Center To Center Distance Between Mounting Facilities Parallel To Width:** 0.750 inches single mounting facility **Overall Height:** 3.090 inches **Overall Width:** 3.250 inches **Unthreaded Mounting Hole Diameter:** 0.199 inches single mounting facility Frequency In Hertz:

50.0

Winding Quantity:

Coil Quantity:

Duty Type:

Continuous

Mounting Facility Type And Quantity:

6 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Time Delay:

1.50 seconds fixed release time and 15.00 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp:

110.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac resistive load and 500.0 milliamperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

480.0 ac and 110.0 dc

Terminal Type And Quantity:

8 pin all functions

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

NSN 5945-01-015-2208

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300