# NSN 5945-01-016-7349

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-016-7349

#### **Overall Length:**

4.343 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

3.687 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

3.500 inches single mounting facility

#### **Overall Height:**

3.956 inches

**Overall Width:** 

4.156 inches

**Environmental Protection:** 

Hermetic

**Unthreaded Mounting Hole Diameter:** 

0.218 inches single mounting facility

#### Winding Quantity:

1

Coil Quantity:

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

#### Mounting Facility Pattern:

Rectangular single mounting facility

#### **Operating Current Rating And Type:**

600.0 milliamperes dc single winding

#### Time Delay:

0.040 seconds fixed release time

### Auxiliary Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

#### **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

150.0 amperes ac resistive load and 150.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

Yes - demil/mli

# NSN 5945-01-016-7349

Electromagnetic Relay - Page 2 of 2

**Fiig:** A03300

Mil-std (military Standard):

Mil-prf-6106 spec.

