## NSN 5945-01-017-6015

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-017-6015 **Overall Length:** 0.280 inches **Overall Diameter:** 0.370 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 50.0 ohms single winding **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 plug-in terminal single mounting facility **Features Provided:** Polarized **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.004 seconds fixed release time Operating Voltage Rating And Type At Specificationified Temp: 5.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 1.0 amperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Special Features:** With internal silicon diode supression **Test Data Document:** 81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 8 pin all functions **Specification Data:** 81349-mil-r-39016/15 government specification Shelf Life:

No

**Unit Of Measure:** 

**Demilitarization:** 

N/a

## NSN 5945-01-017-6015

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300