## NSN 5945-01-019-2950

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-019-2950

View Online at https://aerobasegroup.com/nsn/5945-01-019-2950
Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
1.531 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.187 inches single mounting facility
Center To Center Distance Between Mounting Facilities Parallel To Width:
1.187 inches single mounting facility
Overall Height:
2.087 inches
Overall Width:
1.531 inches
Case Material:
Metal
Environmental Protection:
Hermetic
Fragility Factor:
Moderately rugged
Winding Quantity:
1
Purpose For Which Designed:
General
Coil Quantity:
1
Winding Dc Resistance Rating:
160.0 ohms single winding
Duty Type:
Continuous
Arc Quenching Method:
Air
Mounting Facility Type And Quantity:
4 threaded stud single mounting facility
Storage Type:
General purpose warehouse
Cubic Measure:
4.891 cubic inches
Thready Qty Per Inch (tpi):
32 single mounting facility

Thread Size:

0.138 inches single mounting facility

## NSN 5945-01-019-2950

Electromagnetic Relay - Page 2 of 2



## **Mounting Facility Pattern:** Rectangular single mounting facility **Nonpile-up Main Contact Arrangement:** 3 pole, single throw, normally closed, momentary action Time Delay: 0.02 seconds fixed operate time **Operating Voltage Rating And Type At Specificationified Temp:** 28.0 volts dc 25 degrees celsius single winding Main Contact Load Current Rating At Maximum Rated Voltage: 20.0 amperes ac resistive load and 20.0 amperes dc resistive load **Main Contact Maximum Voltage Rating In Volts:** 115.0 ac and 28.0 dc **Thread Series Designator:** Unc single mounting facility **Terminal Type And Quantity:** 10 wire hook all functions Shelf Life: N/a **Unit Of Measure:**

**Demilitarization:** 

No Fiig: A03300