# NSN 5945-01-019-6258

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-019-6258

Thread Class:
2a single mounting facility
Thread Direction:
Right-hand single mounting facility
Overall Length:
0.938 inches
Overall Height:
1.406 inches
Overall Width:
0.734 inches
Case Material:
Plastic
Environmental Protection:
Dustproof
Fragility Factor:
Moderately rugged
Contact Material:
Silver
Contact Surface Treatment:
Gold
Winding Quantity:
5
1
-
1
1 Purpose For Which Designed:
1 Purpose For Which Designed: General
Purpose For Which Designed: General Coil Quantity:
1 Purpose For Which Designed: General Coil Quantity:
1 Purpose For Which Designed: General Coil Quantity: 1 Winding Dc Resistance Rating:
Purpose For Which Designed: General Coil Quantity: 1 Winding Dc Resistance Rating: 185.0 ohms single winding
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type:
Purpose For Which Designed: General Coil Quantity: 1 Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method:
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity:
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 1 threaded stud single mounting facility
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 1 threaded stud single mounting facility Storage Type:
Purpose For Which Designed: General Coil Quantity: 1 Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 1 threaded stud single mounting facility Storage Type: General purpose warehouse
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 1 threaded stud single mounting facility Storage Type: General purpose warehouse Cubic Measure:
Purpose For Which Designed: General Coil Quantity:  Winding Dc Resistance Rating: 185.0 ohms single winding Duty Type: Continuous Arc Quenching Method: Air Mounting Facility Type And Quantity: 1 threaded stud single mounting facility Storage Type: General purpose warehouse Cubic Measure: 0.968 cubic inches

0.099 inches single mounting facility

## NSN 5945-01-019-6258

Electromagnetic Relay - Page 2 of 2



### **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

### **Operating Voltage Rating And Type At Specificationified Temp:**

12.0 volts dc 25 degrees celsius single winding

### Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

### Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 28.0 dc

**Precious Material:** 

Silver and gold

**Thread Series Designator:** 

Unc single mounting facility

**Terminal Type And Quantity:** 

8 quick disconnect, male all functions

Shelf Life:

N/a

**Unit Of Measure:** 

**Demilitarization:** 

No

Fiig:

A03300