

View Online at <https://aerobasegroup.com/nsn/5945-01-022-6814>

Overall Length:

5.220 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

2.000 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.812 inches single mounting facility

Overall Height:

1.520 inches

Overall Width:

2.190 inches

Environmental Protection:

Hermetic

Unthreaded Mounting Hole Diameter:

0.170 inches single mounting facility

Winding Quantity:

1

Coil Quantity:

1

Winding Dc Resistance Rating:

190.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

Operating Current Rating And Type:

88.0 milliamperes ac single winding

Time Delay:

0.375 seconds fixed operate time and 3.00 seconds fixed operate time

Operating Voltage Rating And Type At Specificationified Temp:

120.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

10.0 amperes ac inductive load

Main Contact Maximum Voltage Rating In Volts:

120.0 ac

Special Test Features:

Navord od41152

Terminal Type And Quantity:

8 wire hook all functions

Reference Number Differentiating Characteristics:

As differentiated by special test features

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fig:

A03300