## NSN 5945-01-023-2784

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-023-2784

/iew Online at https://aerobasegroup.com/nsn/5945-01-023-2784
Overall Length:
0.810 inches
Dverall Height:
0.600 inches
Dverall Width:
0.400 inches
Environmental Protection:
Hermetic
Ninding Quantity:
Coil Quantity:
Ninding Dc Resistance Rating:
700.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
I plug-in terminal single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Criticality Code Justification:
Feat
Fime Delay:
0.004 seconds fixed operate and release time
Operating Voltage Rating And Type At Specificationified Temp:
26.5 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
300.0 milliamperes ac resistive load and 2.0 amperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
15.0 ac and 28.0 dc
Special Features:
tem must @comply with requirements of defense electronics supply center production standard no. L02118, for navy nuclear propulsion
plant products only
Ferminal Type And Quantity:
3 pin all functions
Shelf Life:
√a
Jnit Of Measure:
-
Demilitarization:
No
-iig:
A03300