## NSN 5945-01-023-5685

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-023-5685

| view Offiline at https://aerobasegroup.com/nish/0040-01-020-0000          |
|---|
| Overall Length:   |
| 1.718 inches  |
| Center To Center Distance Between Mounting Facilities Parallel To Length: |
| 1.446 inches single mounting facility                                     |
| Overall Height:   |
| 1.320 inches  |
| Overall Width:  |
| 0.465 inches  |
| Environmental Protection:   |
| Hermetic  |
| Unthreaded Mounting Hole Diameter:  |
| 0.150 inches single mounting facility                                     |
| Winding Quantity:   |
| 1   |
| Coil Quantity:  |
| 1   |
| Winding Dc Resistance Rating:   |
| 20.0 ohms single winding  |
| Duty Type:  |
| Continuous  |
| Mounting Facility Type And Quantity:                                      |
| 2 unthreaded hole single mounting facility                                |
| Features Provided:  |
| Polarized   |
| Mounting Facility Pattern:  |
| In-line single mounting facility  |
| Nonpile-up Main Contact Arrangement:                                      |
| 2 pole, double throw, one position momentary                              |
| Time Delay:   |
| 0.015 seconds fixed operate and release time                              |
| Operating Voltage Rating And Type At Specificationified Temp:             |
| 6.0 volts dc 25 degrees celsius single winding                            |
| Main Contact Load Current Rating At Maximum Rated Voltage:                |
| 10.0 amperes ac resistive load and 10.0 amperes dc resistive load         |
| Main Contact Maximum Voltage Rating In Volts:                             |
| 115.0 ac and 28.0 dc  |
| Terminal Type And Quantity:   |
| 8 pin all functions   |
| Shelf Life:   |
| N/a   |
| Unit Of Measure:  |

-

## NSN 5945-01-023-5685

Electromagnetic Relay - Page 2 of 2



Demilitarization:

No

Fiig:

A03300