NSN 5945-01-025-7527

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-025-7527 **Overall Length:** 0.500 inches **Overall Diameter:** 0.370 inches **Environmental Protection:** Hermetic Winding Quantity: **Coil Quantity:** Winding Dc Resistance Rating: 2.0 kilohms all windings **Duty Type:** Continuous **Mounting Facility Type And Quantity:** 1 plug-in terminal single mounting facility **Features Provided:** Polarized and latching contacts **Nonpile-up Main Contact Arrangement:** 2 pole, double throw, one position momentary Time Delay: 0.002 seconds fixed operate time Operating Voltage Rating And Type At Specificationified Temp: 26.5 volts dc 25 degrees celsius all windings Main Contact Load Current Rating At Maximum Rated Voltage: 200.0 milliamperes dc resistive load Main Contact Maximum Voltage Rating In Volts: 28.0 dc **Special Features:** Internal diodes for coil transient suppression **Test Data Document:** 81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Terminal Type And Quantity:** 10 pin all functions **Specification Data:** 81349-mil-r-39016/18 government specification Shelf Life: N/a

No

Unit Of Measure:

Demilitarization:

NSN 5945-01-025-7527

Electromagnetic Relay - Page 2 of 2



Fiig:

A03300