## NSN 5945-01-026-1230

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-026-1230

#### **Overall Length:**

3.420 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

2.875 inches single mounting facility

#### Center To Center Distance Between Mounting Facilities Parallel To Width:

2.875 inches single mounting facility

#### **Overall Height:**

3.440 inches

**Overall Width:** 

3.420 inches

**Unthreaded Mounting Hole Diameter:** 

0.218 inches single mounting facility

Winding Quantity:

1

**Coil Quantity:** 

1

Winding Dc Resistance Rating:

113.0 ohms single winding

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 unthreaded hole single mounting facility

**Features Provided:** 

Polarized

#### Mounting Facility Pattern:

Rectangular single mounting facility

#### Nonpile-up Main Contact Arrangement:

2 pole, single throw, normally open, momentary action

#### **Operating Current Rating And Type:**

310.0 milliamperes dc single winding

## Nonpile-up Auxiliary Contact Arrangement:

2 pole, single throw, normally closed, momentary action

## Auxiliary Contact Maximum Voltage Rating In Volts:

28.0 dc

## Operating Voltage Rating And Type At Specificationified Temp:

28.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

35.0 amperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

28.0 dc

Terminal Type And Quantity:

10 pin all functions

# NSN 5945-01-026-1230

Electromagnetic Relay - Page 2 of 2

Shelf Life:

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A03300

