NSN 5945-01-028-1426

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-028-1426

Thread Class:

2a single mounting facility

Thread Direction:

Right-hand single mounting facility

Overall Length:

1.750 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

1.250 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

0.750 inches single mounting facility

Overall Height:

2.880 inches

Overall Width:

1.250 inches

Environmental Protection:

Hermetic and shock resistant and vibration resistant

Frequency In Hertz:

400.0

Winding Quantity:

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded stud single mounting facility

Thready Qty Per Inch (tpi):

32 single mounting facility

Thread Size:

0.138 inches single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

1 pole, double throw, one position momentary

Time Delay:

0.10 seconds fixed release time

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

1.0 amperes ac resistive load and 2.0 amperes dc resistive load

Main Contact Maximum Voltage Rating In Volts:

115.0 ac and 32.0 dc

NSN 5945-01-028-1426

Electromagnetic Relay - Page 2 of 2



Energizing Element Power Ratin
6.0 watts
Thread Series Designator:
Unc single mounting facility
Terminal Type And Quantity:
6 wire hook all functions
Shelf Life:
N/a
Unit Of Measure:

Demilitarization:

No Fiig: A03300