## NSN 5945-01-037-2153

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-037-2153

Thread Class:
2b single mounting facility
Overall Length:
3.438 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
2.250 inches single mounting facility
Overall Height:
2.625 inches
Overall Width:
2.500 inches
Contact Material:
Copper
Contact Surface Treatment:
Silver plated and cadmium plated
Frequency In Hertz:
60.0
Winding Quantity:
1
Coil Quantity:
1
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 threaded hole single mounting facility
Thready Qty Per Inch (tpi):
24 single mounting facility
Thread Size:
0.190 inches single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
3 pole, single throw, normally open, momentary action
Nonpile-up Auxiliary Contact Arrangement:
1 pole, single throw, normally open, momentary action and 1 pole, single throw, normally closed, momentary action
Auxiliary Contact Maximum Voltage Rating In Volts:
600.0 ac
Operating Voltage Rating And Type At Specificationified Temp:
120.0 volts ac 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
50.0 amperes ac resistive load

600.0 ac

**Main Contact Maximum Voltage Rating In Volts:** 

## NSN 5945-01-037-2153

Electromagnetic Relay - Page 2 of 2



## Auxiliary Contact Load Current Rating At Maximum Rated Voltage: 50.0 amperes ac resistive load Precious Material And Location: Contact surfaces silver Precious Material: Silver Thread Series Designator: Unc single mounting facility Terminal Type And Quantity: 10 screw all functions Shelf Life: N/a Unit Of Measure:

**Demilitarization:** 

No Fiig: A03300