

View Online at <https://aerobasegroup.com/nsn/5945-01-037-8516>

Overall Length:

1.015 inches

Center To Center Distance Between Mounting Facilities Parallel To Length:

0.625 inches single mounting facility

Center To Center Distance Between Mounting Facilities Parallel To Width:

1.446 inches single mounting facility

Overall Height:

1.000 inches

Overall Width:

1.015 inches

Environmental Protection:

Corrosion resistant and fungus proof and vibration resistant and shock resistant and hermetic

Frequency In Hertz:

Between 60.0 and 400.0

Winding Quantity:

1

Coil Quantity:

1

Duty Type:

Continuous

Mounting Facility Type And Quantity:

4 threaded hole single mounting facility

Mounting Facility Pattern:

Rectangular single mounting facility

Nonpile-up Main Contact Arrangement:

3 pole, single throw, normally open, momentary action and 1 pole, double throw, two positions momentary

Operating Voltage Rating And Type At Specificationified Temp:

115.0 volts ac 25 degrees celsius single winding

Main Contact Load Current Rating At Maximum Rated Voltage:

12.0 amperes dc inductive load and 15.0 amperes ac inductive load

Main Contact Maximum Voltage Rating In Volts:

200.0 ac and 28.0 dc

Precious Material And Location:

Terminals gold

Precious Material:

Gold

Terminal Type And Quantity:

9 pin contacts

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A03300