# NSN 5945-01-038-3408

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-038-3408

# **Overall Length:**

1.450 inches

#### Center To Center Distance Between Mounting Facilities Parallel To Length:

1.067 inches single mounting facility

**Overall Height:** 

1.491 inches

Overall Width:

0.455 inches

#### **Environmental Protection:**

Hermetic

#### **Unthreaded Mounting Hole Diameter:**

0.120 inches single mounting facility

#### Winding Quantity:

1

#### **Coil Quantity:**

1

#### Winding Dc Resistance Rating:

10.0 kilohms single winding

# **Duty Type:**

Continuous

# **Mounting Facility Type And Quantity:**

2 unthreaded hole single mounting facility

#### **Mounting Facility Pattern:**

In-line single mounting facility

# **Nonpile-up Main Contact Arrangement:**

2 pole, double throw, one position momentary

# **Operating Current Rating And Type:**

4.0 milliamperes dc single winding

#### Time Delay:

0.015 seconds fixed operate time

# Main Contact Load Current Rating At Maximum Rated Voltage:

300.0 milliamperes ac resistive load and 300.0 milliamperes dc resistive load

# **Main Contact Maximum Voltage Rating In Volts:**

115.0 ac and 28.0 dc

#### **Test Data Document:**

81349-mil-r-5757 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

# **Terminal Type And Quantity:**

8 pin all functions

#### **Specification Data:**

81349-mil-r-5757/13 government specification

# Shelf Life:

N/a

# NSN 5945-01-038-3408

Electromagnetic Relay - Page 2 of 2



**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300