NSN 5945-01-040-7082

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-040-7082

Overall Length:
1.180 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.000 inches single mounting facility
Overall Height:
0.597 inches
Overall Width:
0.410 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.096 inches single mounting facility
Winding Quantity:
2
Coil Quantity:
2
Winding Dc Resistance Rating:
250.0 ohms all windings
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Features Provided:
Polarized and latching contacts
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Time Delay:
0.006 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
15.0 volts dc 25 degrees celsius all windings
Main Contact Load Current Rating At Maximum Rated Voltage:
500.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
28.0 dc
Precious Material And Location:
Terminals gold
Precious Material:
Gold
Terminal Type And Quantity:

10 pin all functions

NSN 5945-01-040-7082

Electromagnetic Relay - Page 2 of 2



_					
٠.	n	_	I+	18	e:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A03300