# NSN 5945-01-041-3304

Electromagnetic Relay - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/5945-01-041-3304

## **Overall Length:**

Between 0.255 inches and 0.280 inches

## **Overall Diameter:**

0.370 inches

# **Environmental Protection:**

Hermetic

## Winding Quantity:

2

## **Coil Quantity:**

2

## Winding Dc Resistance Rating:

1.13 kilohms all windings

**Duty Type:** 

Continuous

## Mounting Facility Type And Quantity:

1 plug-in terminal single mounting facility

**Features Provided:** 

Latching contacts

## Nonpile-up Main Contact Arrangement:

2 pole, double throw, one position momentary

## Time Delay:

0.002 seconds fixed operate time

## **Operating Voltage Rating And Type At Specificationified Temp:**

18.0 volts dc 25 degrees celsius all windings

## Main Contact Load Current Rating At Maximum Rated Voltage:

200.0 milliamperes dc resistive load

## Main Contact Maximum Voltage Rating In Volts:

28.0 dc

## Test Data Document:

81349-mil-r-39016 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.).

## **Terminal Type And Quantity:**

10 pin all functions

## **Specification Data:**

81349-mil-r-39016/12 government specification

Shelf Life:

N/a

Unit Of Measure:

--

#### Demilitarization:

No

Fiig:

A03300