# NSN 5945-01-044-2609

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-044-2609

## **Thread Class:**

2a single mounting facility

#### **Overall Length:**

4.344 inches

# Center To Center Distance Between Mounting Facilities Parallel To Length:

3.962 inches single mounting facility

#### **Overall Height:**

3.656 inches

#### **Overall Width:**

1.750 inches

#### **Environmental Protection:**

Hermetic

#### **Contact Material:**

Silver

#### Winding Quantity:

1

# **Coil Quantity:**

1

# **Duty Type:**

Continuous

# Mounting Facility Type And Quantity:

2 threaded stud single mounting facility

## **Features Provided:**

Magnetic shield

#### Thready Qty Per Inch (tpi):

32 single mounting facility

## **Thread Size:**

0.164 inches single mounting facility

#### **Mounting Facility Pattern:**

In-line single mounting facility

#### Nonpile-up Main Contact Arrangement:

24 pole, single throw, normally open, momentary action

#### **Time Delay:**

0.025 seconds fixed operate time

#### **Operating Voltage Rating And Type At Specificationified Temp:**

28.0 volts dc 25 degrees celsius single winding

## Main Contact Load Current Rating At Maximum Rated Voltage:

5.0 amperes ac resistive load and 5.0 amperes dc resistive load

# Main Contact Maximum Voltage Rating In Volts:

120.0 ac and 28.00 dc

## **Special Features:**

Screwjack connector

# NSN 5945-01-044-2609

Electromagnetic Relay - Page 2 of 2



**Precious Material And Location:** Contact silver and contact surface gold **Precious Material:** Gold and silver **Thread Series Designator:** Unc single mounting facility Terminal Type And Quantity: 50 pin all functions Shelf Life: N/a Unit Of Measure: ---Demilitarization: No Fiig: A03300