## NSN 5945-01-044-3776

Electromagnetic Relay - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/5945-01-044-3776
Overall Length:
1.320 inches
Center To Center Distance Between Mounting Facilities Parallel To Length:
1.062 inches single mounting facility
Overall Height:
1.280 inches
Overall Width:
0.440 inches
Environmental Protection:
Hermetic
Unthreaded Mounting Hole Diameter:
0.125 inches single mounting facility
Winding Quantity:
1
Coil Quantity:
1
Winding Dc Resistance Rating:
200.0 ohms single winding
Duty Type:
Continuous
Mounting Facility Type And Quantity:
2 unthreaded hole single mounting facility
Mounting Facility Pattern:
In-line single mounting facility
Nonpile-up Main Contact Arrangement:
2 pole, double throw, one position momentary
Operating Current Rating And Type:
21.0 milliamperes dc single winding
Time Delay:
0.015 seconds fixed operate time
Operating Voltage Rating And Type At Specificationified Temp:
6.0 volts dc 25 degrees celsius single winding
Main Contact Load Current Rating At Maximum Rated Voltage:
200.0 milliamperes ac resistive load and 200.0 milliamperes dc resistive load
Main Contact Maximum Voltage Rating In Volts:
115.0 ac and 28.0 dc
Precious Material And Location:
Contacts gold and contacts silver
Precious Material:
Cold and cilvor

Gold and silver

**Terminal Type And Quantity:** 

8 pin all functions

## NSN 5945-01-044-3776

Electromagnetic Relay - Page 2 of 2



_			•		
•	n	ο.	•	18	e:

N/a

**Unit Of Measure:** 

--

Demilitarization:

No

Fiig:

A03300